# antibodies .- online.com







# anti-Angiopoietin 4 antibody (AA 32-144)



Image



( )	ve	K\ /		A .
	$\cup$	1 V/	Щ.	V۷

Quantity:	100 μL	
Target:	Angiopoietin 4 (ANGPT4)	
Binding Specificity:	AA 32-144	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Angiopoietin 4 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

#### **Product Details**

Purpose:	Polyclonal Antibody to Angiopoietin 4 (ANGPT4)	
Immunogen:	Recombinant Angiopoietin 4 (ANGPT4) corresdonding to Phe32~Pro144 (Accession # Q3TMQ6) with N-terminal His and GST Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against ANGPT4. It has been selected for its ability to recognize ANGPT4 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

### **Target Details**

Target: Angiopoietin 4 (ANGPT4)

## **Target Details**


Alternative Name:	Angiopoietin 4 (ANGPT4 Products)
Background:	ANG4, AGP4, ANG-3
Pathways:	RTK Signaling

## **Application Details**

Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-	
	20 μg/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	

# Handling

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



### **Western Blotting**

**Image 1.** Detection of recombinant ANGPT4 using Polyclonal Antibody to Angiopoietin 4 (ANGPT4)