antibodies -online.com





Datasheet for ABIN7438619

anti-Insulin Receptor antibody (AA 1101-1372)





_					
U	V	er	VI	е	W

Quantity:	100 μL
Target:	Insulin Receptor (INSR)
Binding Specificity:	AA 1101-1372
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Insulin Receptor antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Insulin Receptor (INSR)	
Immunogen:	Recombinant Insulin Receptor (INSR) corresdonding to Leu1101~Ser1372 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against INSR. It has been selected for its ability to recognize INSR in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Human, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details


Target:	Insulin Receptor (INSR)
Alternative Name:	Insulin Receptor (INSR Products)
Background:	CD220, ISR, HHF5, IR
Pathways:	NF-kappaB Signaling, RTK Signaling, AMPK Signaling, Carbohydrate Homeostasis, Regulation of Cell Size, Regulation of Carbohydrate Metabolic Process, Growth Factor Binding, Negative Regulation of Transporter Activity

Application Details

Restrictions:	For Research Use only		
	date under appropriate storage condition.		
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated		
	1:50-200 Optimal working dilutions must be determined by end user.		
	1:50-200 Immunocytochemistry: 5-20 μg/mL		
	1:500-2000 Immunohistochemistry: 5-20 µg/mL		
Application Notes:	Western blotting: 0.5-2 μg/mL		


Handling

Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Immunohistochemistry

Image 1. Detection of INSR in Mouse Liver Tissue using Polyclonal Antibody to Insulin Receptor (INSR)



Western Blotting

Image 2. Detection of Recombinant ISR, Mouse using Polyclonal Antibody to Insulin Receptor (INSR)



Immunofluorescence

Image 3. Detection of INSR in Human MCF7 cell using Polyclonal Antibody to Insulin Receptor (INSR)

Please check the product details page for more images. Overall 4 images are available for ABIN7438619.