antibodies - online.com







anti-IL17RE antibody (AA 457-626)

Images



\sim							
	1//	$rac{1}{2}$	`\/	L	Р	1	٨

Quantity:	100 μL
Target:	IL17RE
Binding Specificity:	AA 457-626
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL17RE antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Interleukin 17 Receptor E (IL17RE)
Immunogen:	Recombinant Interleukin 17 Receptor E (IL17RE) corresdonding to Asp457~Gly626 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IL17RE. It has been selected for its ability to recognize IL17RE in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details


Target:	IL17RE
Alternative Name:	Interleukin 17 Receptor E (IL17RE Products)
Background:	IL17R-E

Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-		
	20 μg/mL Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated		
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious		
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
	date under appropriate storage condition.		
Restrictions:	For Research Use only		


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of IL17RE in Rat Kidney Tissue using Polyclonal Antibody to Interleukin 17 Receptor E (IL17RE)



Immunohistochemistry

Image 2. Detection of IL17RE in Rat Kidney Tissue using Polyclonal Antibody to Interleukin 17 Receptor E (IL17RE)



Western Blotting

Image 3. Detection of Recombinant IL17RE, Rat using Polyclonal Antibody to Interleukin 17 Receptor E (IL17RE)