antibodies -online.com







anti-CD40 Ligand antibody (AA 111-261)





Overview

Quantity:	100 μL
Target:	CD40 Ligand (CD40LG)
Binding Specificity:	AA 111-261
Reactivity:	Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CD40 Ligand antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Cluster Of Differentiation 40 Ligand (CD40L)
Immunogen:	Recombinant Cluster Of Differentiation 40 Ligand (CD40L) corresdonding to Phe111~Leu261 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CD40L. It has been selected for its ability to recognize CD40L in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Application Notes:


Target:	CD40 Ligand (CD40LG)
Alternative Name:	CD40 Ligand (CD40LG Products)
Background:	CD154, TRAP, HIGM1, IGM, IMD3, TBAM, T-BAM, TNFSF5, Gp39, TNF Superfamily Member 5, Hyper-IgM Syndrome, TNF-Related Activation Protein, T-Cell B-Cell Activating Molecule
Pathways:	NF-kappaB Signaling, Production of Molecular Mediator of Immune Response, Cancer Immune Checkpoints
Application Details	

	Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in
	paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-5000 Optimal working
	dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500


Handling

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of CD40L in Porcine Cardiac Muscle Tissue using Polyclonal Antibody to Cluster Of Differentiation 40 Ligand (CD40L)



Western Blotting

Image 2. Detection of recombinant CD40L using Polyclonal Antibody to Cluster Of Differentiation 40 Ligand (CD40L)



Immunohistochemistry

Image 3. Detection of CD40L in Porcine Spleen Tissue using Polyclonal Antibody to Cluster Of Differentiation 40 Ligand (CD40L)

Please check the product details page for more images. Overall 4 images are available for ABIN7438637.