antibodies - online.com







anti-Filaggrin antibody (AA 119-336)





GO	to	Pro	odu	ICT	pa	ge

_					
U	V	er	V	Ie	W

Quantity:	100 μL
Target:	Filaggrin (FLG)
Binding Specificity:	AA 119-336
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Filaggrin antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Western Blotting (WB), Immunocytochemistry (ICC), Immunoprecipitation (IP)

Product Details

Purpose:	Polyclonal Antibody to Filaggrin (FLG)
Immunogen:	Recombinant Filaggrin (FLG) corresdonding to Asp119~Tyr336 (Accession # P11088) with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against FLG. It has been selected for its ability to recognize FLG in immunohistochemical staining and western blotting.
Cross-Reactivity:	Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

Expiry Date:

24 months


Target:	Filaggrin (FLG)
Alternative Name:	Filaggrin (FLG Products)
Background:	Profilaggrin
Pathways:	Sensory Perception of Sound, Stem Cell Maintenance

Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.




Immunohistochemistry

Image 1. Detection of FLG in Mouse Skin Tissue using Polyclonal Antibody to Filaggrin (FLG)



Western Blotting

Image 2. Detection of FLG in Mouse Brain Tissue using Polyclonal Antibody to Filaggrin (FLG)



Western Blotting

Image 3. Detection of Recombinant FLG, Mouse using Polyclonal Antibody to Filaggrin (FLG)