

# Datasheet for ABIN7438970 anti-Fibrillin 1 antibody (AA 449-711)

## 1 Image



#### Overview


Quantity:	100 μL
Target:	Fibrillin 1 (FBN1)
Binding Specificity:	AA 449-711
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Fibrillin 1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunocytochemistry (ICC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Purpose:	Polyclonal Antibody to Fibrillin 1 (FBN1)
Immunogen:	Recombinant Fibrillin 1 (FBN1) corresdonding to Val449~Cys711 with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against FBN1. It has been selected for its ability to recognize FBN1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

### **Target Details**

Target Details	
Target:	Fibrillin 1 (FBN1)
Alternative Name:	FBN1 (FBN1 Products)
Background:	FBN, MASS, MFS1, OCTD, SGS
UniProt:	P35555
Pathways:	Maintenance of Protein Location, SARS-CoV-2 Protein Interactome
Application Details	
Application Notes:	Western blotting: 1-5 $\mu$ g/mLlmmunocytochemistry in formalin fixed cells: 5-20 $\mu$
	g/mLlmmunohistochemistry in formalin fixed frozen section: 5-20 $\mu$
	g/mLlmmunohistochemistry in paraffin section: 5-20 µg/mLEnzyme-linked Immunosorbent
	Assay: 0.05-2 µg/mLOptimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	500 μg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



#### **Western Blotting**

Image 1. Detection of Recombinant FBN1, Human using Polyclonal Antibody to Fibrillin 1 (FBN1)