antibodies - online.com







anti-HIST2H3A antibody (AA 1-136)



Images



()	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew

Quantity:	100 μL	
Target:	HIST2H3A	
Binding Specificity:	AA 1-136	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This HIST2H3A antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Histone Cluster 2, H3a (HIST2H3A)	
Immunogen:	Recombinant Histone Cluster 2, H3a (HIST2H3A) corresdonding to Met1~Ala136 (Accession # Q71DI3)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against HIST2H3A. It has been selected for its ability to recognize HIST2H3A in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Pig, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details


Target:	HIST2H3A
Alternative Name:	Histone Cluster 2, H3a (HIST2H3A Products)
Background:	H3/n, H3/o, HIST2H3D, HIST2H3C

Application Details

Restrictions:	For Research Use only	
	date under appropriate storage condition.	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	Optimal working dilutions must be determined by end user.	
	Immunocytochemistry: 5-20 μg/mL	
	Immunohistochemistry: 5-20 μg/mL	
Application Notes:	Western blotting: 0.5-2 μg/mL	


Handling

Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Western Blotting

Image 1. Detection of HIST2H3A in Rat Heart lysate using Polyclonal Antibody to Histone Cluster 2, H3a (HIST2H3A)



Western Blotting

Image 2. Detection of Recombinant HIST2H3A, Human using Polyclonal Antibody to Histone Cluster 2, H3a (HIST2H3A)



Immunohistochemistry

Image 3. Detection of HIST2H3A in Human Cerebellum Tissue using Polyclonal Antibody to Histone Cluster 2, H3a (HIST2H3A)

Please check the product details page for more images. Overall 8 images are available for ABIN7439000.