
antibodies -online.com







Image



Overview


Quantity:	100 μL
Target:	Fibulin 5 (FBLN5)
Binding Specificity:	AA 277-448
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Fibulin 5 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Fibulin 5 (FBLN5)
Immunogen:	Recombinant Fibulin 5 (FBLN5) corresdonding to Tyr277~Phe448 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against FBLN5. It has been selected for its ability to recognize FBLN5 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Mouse
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

l arget Details	
Target:	Fibulin 5 (FBLN5)
Alternative Name:	Fibulin 5 (FBLN5 Products)
Background:	ARMD3, DANCE, EVEC, UP50, FIBL-5, Dance, Developmental arteries and neural crest EGF-like protein
Pathways:	SARS-CoV-2 Protein Interactome
Application Details	
Application Notes:	Western blotting: $0.5-2~\mu g/mL$ Immunocytochemistry in formalin fixed cells: $5-20~\mu g/mL$ Immunohistochemistry in formalin fixed frozen section: $5-20~\mu g/mL$ Immunohistochemistry in paraffin section: $5-20~\mu g/mL$ Enzyme-linked Immunosorbent Assay: $0.05-2~\mu g/mL$ Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Western Blotting

Image 1. Detection of recombinant FBLN5 using Polyclonal Antibody to Fibulin 5 (FBLN5)