antibodies -online.com





anti-ITIH1 antibody (AA 413-660)

2 Images



Go to Product page

\sim	
()\/△	rview
\cup	1 410 44

Quantity:	100 μL
Target:	ITIH1
Binding Specificity:	AA 413-660
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ITIH1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Inter Alpha-Globulin Inhibitor H1 (ITIH1)
Immunogen:	Recombinant Inter Alpha-Globulin Inhibitor H1 (ITIH1) corresdonding to Ile413~Leu660 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ITIH1. It has been selected for its ability to recognize ITIH1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details


Target: ITIH1

Target Details

Expiry Date:


24 months

l arget Details	
Alternative Name:	Inter Alpha-Globulin Inhibitor H1 (ITIH1 Products)
Background:	H1P, IATIH, ITIH, IGHEP1, Serum-derived hyaluronan-associated protein, Inter-alpha-trypsin
	inhibitor complex component III
Pathways:	Glycosaminoglycan Metabolic Process
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.



Immunohistochemistry

Image 1. Detection of ITIH1 in Human Placenta Tissue using Polyclonal Antibody to Inter Alpha-Globulin Inhibitor H1 (ITIH1)



Western Blotting

Image 2. Detection of Recombinant ITIH1, Mouse using Polyclonal Antibody to Inter Alpha-Globulin Inhibitor H1 (ITIH1)