antibodies -online.com





anti-TRADD antibody (AA 61-297)

2 Images



0	1 /	-	K	/1	-	1 A
u	\/	\vdash	I \	/ I	\vdash	1/1


Target:

Quantity:	100 μL
Target:	TRADD
Binding Specificity:	AA 61-297
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRADD antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))
Product Details	
Purpose:	Polyclonal Antibody to TNFRSF1A Associated Via Death Domain Protein (TRADD)
Immunogen:	Recombinant TNFRSF1A Associated Via Death Domain Protein (TRADD) corresdonding to Met61~Leu297 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against TRADD. It has been selected for its ability to recognize TRADD in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

TRADD


Target Details

rarget Details			
Alternative Name:	TNFRSF1A Associated Via Death Domain Protein (TRADD Products)		
Background:	Tumor Necrosis Factor Receptor Type 1-Associated DEATH Domain Protein, TNFRSF1A-associated via death domain		
Pathways:	NF-kappaB Signaling, Apoptosis, Caspase Cascade in Apoptosis, Positive Regulation of Endopeptidase Activity, Hepatitis C		
Application Details			
Application Notes:	Western blotting: 1-5 μ g/mL Immunocytochemistry in formalin fixed cells: 5-20 μ g/mL Immunohistochemistry in formalin fixed frozen section: 5-20 μ g/mL Immunohistochemistry in paraffin section: 5-20 μ g/mL Enzyme-linked Immunosorbent Assay: 0.05-2 μ g/mL Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.		
Expiry Date:	24 months		



Immunohistochemistry

Image 1. Detection of TRADD in Human Liver Tissue using Polyclonal Antibody to TNFRSF1A Associated Via Death Domain Protein (TRADD)



Western Blotting

Image 2. Detection of Recombinant TRADD, Human using Polyclonal Antibody to TNFRSF1A Associated Via Death Domain Protein (TRADD)