antibodies -online.com







anti-LRP8 antibody (AA 696-941)

3 Images



Go to Product page

| \sim | | | |
|--------|-----|------|------------|
| | N/6 | 1//r | $I \cap V$ |

| Quantity: | 100 μL | |
|----------------------|--|--|
| Target: | LRP8 | |
| Binding Specificity: | AA 696-941 | |
| Reactivity: | Human | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This LRP8 antibody is un-conjugated | |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP) | |


Product Details

| Purpose: | Polyclonal Antibody to Low Density Lipoprotein Receptor Related Protein 8 (LRP8) | |
|---------------|--|--|
| Immunogen: | Recombinant Low Density Lipoprotein Receptor Related Protein 8 (LRP8) corresdonding to Pro696~Pro941 with N-terminal His and GST Tag | |
| Isotype: | IgG | |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against LRP8. It has been selected for its ability to recognize LRP8 in immunohistochemical staining and western blotting. | |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography | |

Target Details


Target Details

| Alternative Name: | Low Density Lipoprotein Receptor Related Protein 8 (LRP8 Products) | |
|---------------------|--|--|
| Background: | APOER2, Apolipoprotein E Receptor 2 | |
| Application Details | | |
| Application Notes: | Western blotting: 0.5-2 μg/mL | |
| | 1:300-1200 Immunohistochemistry: 5-20 μg/mL | |
| | 1:30-120 Immunocytochemistry: 5-20 µg/mL | |
| | 1:30-120 Optimal working dilutions must be determined by end user | |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated | |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious | |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration | |
| | date under appropriate storage condition. | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be | |
| | handled by trained staff only. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without | |
| | detectable loss of activity. Avoid repeated freeze-thaw cycles. | |
| Expiry Date: | 24 months | |




Western Blotting

Image 1. Detection of LRP8 in Human Hela cell lysate using Polyclonal Antibody to Low Density Lipoprotein Receptor Related Protein 8 (LRP8)



Western Blotting

Image 2. Detection of Recombinant LRP8, Human using Polyclonal Antibody to Low Density Lipoprotein Receptor Related Protein 8 (LRP8)



Western Blotting

Image 3. Detection of LRP8 in Human Placenta lysate using Polyclonal Antibody to Low Density Lipoprotein Receptor Related Protein 8 (LRP8)