antibodies - online.com







anti-beta 2 Defensin antibody (AA 23-63)



Image



\sim				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL
Target:	beta 2 Defensin (BD-2)
Binding Specificity:	AA 23-63
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This beta 2 Defensin antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details


Purpose:	Polyclonal Antibody to Defensin Beta 2 (DEFb2)	
Immunogen:	Recombinant Defensin Beta 2 (DEFb2) corresdonding to Gln23~Lys63 (Accession # 088514) with N-terminal His and GST Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against DEFb2. It has been selected for its ability to recognize DEFb2 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Target: beta 2 Defensin (BD-2)	D-2)	
--------------------------------	------	--

Target Details

Alternative Name:	Defensin Beta 2 (BD-2 Products)	
Background:	B-DF2, DEFB2, BD2, DEF-B2, HBD2, DEFB102, HBD-2, SAP1, DEFB4A, DEFB4, Skin-Antimicrobial Peptide 1	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL 1:500-2000 Immunohistochemistry: 5-20 μg/mL 1:50-200 Immunocytochemistry: 5-20 μg/mL 1:50-200 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



Western Blotting

Image 1. Detection of Recombinant DEFb2, Rat using Polyclonal Antibody to Defensin Beta 2 (DEFb2)