

Datasheet for ABIN7439645
anti-CFC1 antibody (AA 26-223)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	CFC1
Binding Specificity:	AA 26-223
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CFC1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Cripto, FRL1, Cryptic Family 1 (CFC1)
Immunogen:	Recombinant Cripto, FRL1, Cryptic Family 1 (CFC1) corresponding to Tyr26~Leu223 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CFC1. It has been selected for its ability to recognize CFC1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	CFC1
---------	------

Target Details

Alternative Name: Cripto, FRL1, Cryptic Family 1 ([CFC1 Products](#))

Background: CRYPTIC, HTX2, Cryptic family protein 1

Application Details

Application Notes: Western blotting: 0.5-2 µg/mL
1:150-600 Immunohistochemistry: 5-20 µg/mL
1:15-60 Immunocytochemistry: 5-20 µg/mL
1:15-60 Optimal working dilutions must be determined by end user.

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C,-20 °C

Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

Expiry Date: 24 months



Western Blotting

Image 1. Detection of CFC1 in PANC1 cell lysate using Polyclonal Antibody to Cripto, FRL1, Cryptic Family 1 (CFC1)