



[Go to Product page](#)

Datasheet for ABIN7439726

anti-PRKAG2 antibody (AA 290-508)

1 Image

Overview

Quantity:	100 µL
Target:	PRKAG2
Binding Specificity:	AA 290-508
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PRKAG2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Protein Kinase, AMP Activated Gamma 2 (PRKAg2)
Immunogen:	Recombinant Protein Kinase, AMP Activated Gamma 2 (PRKAg2) corresponding to Phe290~Cys508 (Accession # Q91WG5)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PRKAg2. It has been selected for its ability to recognize PRKAg2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	PRKAG2
---------	--------

Target Details


Alternative Name:	Protein Kinase, AMP Activated Gamma 2 (PRKAG2 Products)
Background:	AAKG, AAKG2, CMH6, H91620p, WPWS, 5'-AMP-activated protein kinase subunit gamma-2
Pathways:	AMPK Signaling , Cellular Glucan Metabolic Process , Ribonucleoside Biosynthetic Process , Regulation of Carbohydrate Metabolic Process , Warburg Effect

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Western Blotting

Image 1. Detection of Recombinant PRKAg2, Mouse using Polyclonal Antibody to Protein Kinase, AMP Activated Gamma 2 (PRKAg2)