antibodies.com

Datasheet for ABIN7439741 anti-PSMD7 antibody (AA 1-324)

Image



Overview

Quantity:	100 µL
Target:	PSMD7
Binding Specificity:	AA 1-324
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PSMD7 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Purpose:	Polyclonal Antibody to Proteasome 26S Subunit, Non ATPase 7 (PSMD7)		
Immunogen:	Recombinant Proteasome 26S Subunit, Non ATPase 7 (PSMD7) corresdonding to Met1~Lys324		
Isotype:	IgG		
Specificity:	The antibody is a rabbit polyclonal antibody raised against PSMD7. It has been selected for its ability to recognize PSMD7 in immunohistochemical staining and western blotting.		
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography		

Target Details


Т	- ~ r	2	$^{+}$	
- 1	aı	u	eι	

PSMD7

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7439741 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

Target Details		
Alternative Name:	Proteasome 26S Subunit, Non ATPase 7 (PSMD7 Products)	
Background:	S12, P40, MOV34L, Mov34 protein homolog, Proteasome subunit p40, 26S proteasome regulatory subunit RPN8	
Pathways:	Mitotic G1-G1/S Phases, DNA Replication, Synthesis of DNA, Ubiquitin Proteasome Pathway	
Application Details		
Application Notes:	Western blotting: 1-5 µg/mL Immunocytochemistry in formalin fixed cells: 5-20 µg/mL Immunohistochemistry in formalin fixed frozen section: 5-20 µg/mL Immunohistochemistry in paraffin section: 5-20 µg/mL Enzyme-linked Immunosorbent Assay: 0.05-2 µg/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should b handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7439741 | 09/09/2023 | Copyright antibodies-online. All rights reserved.



Western Blotting

Image 1. Detection of Recombinant PSMD7, Human using Polyclonal Antibody to Proteasome 26S Subunit, Non ATPase 7 (PSMD7)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7439741 | 09/09/2023 | Copyright antibodies-online. All rights reserved.