

Datasheet for ABIN7439762
anti-FLIP antibody (AA 210-460)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	FLIP (CFLAR)
Binding Specificity:	AA 210-460
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FLIP antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

Product Details

Purpose:	Polyclonal Antibody to CASP8 And FADD Like Apoptosis Regulator (CFLAR)
Immunogen:	Recombinant CASP8 And FADD Like Apoptosis Regulator (CFLAR) corresponding to Asn210~Gly460 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CFLAR. It has been selected for its ability to recognize CFLAR in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	FLIP (CFLAR)
---------	--------------

Target Details


Alternative Name:	CFLAR (CFLAR Products)
Background:	CASH, CASP8AP1, CLARP, Casper, FLAME1, FLIP, I-FLICE, MRIT, USURPIN, c-FLIP, c-FLIPL, c-FLIPR, c-FLIPS, Caspase-eight-related protein, FADD-like antiapoptotic molecule 1
UniProt:	O35732
Pathways:	Apoptosis , Regulation of Muscle Cell Differentiation , Skeletal Muscle Fiber Development

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL, Immunocytochemistry in formalin fixed cells: 5-20 µg/mL, Immunohistochemistry in formalin fixed frozen section: 5-20 µg/mL, Immunohistochemistry in paraffin section: 5-20 µg/mL, Enzyme-linked Immunosorbent Assay: 0.05-2 µg/mL, Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	500 µg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Western Blotting

Image 1. Detection of Recombinant CFLAR, Mouse using Polyclonal Antibody to CASP8 And FADD Like Apoptosis Regulator (CFLAR)