antibodies -online.com





anti-FADD antibody (AA 12-206)



Images



Go to Product page

Overview


Quantity:	100 μL
Target:	FADD
Binding Specificity:	AA 12-206
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FADD antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Fas Associating Death Domain Containing Protein (FADD)
lmmunogen:	Recombinant Fas Associating Death Domain Containing Protein (FADD) corresdonding to Ser12~Glu206 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against FADD. It has been selected for its ability to recognize FADD in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

9	
Target:	FADD
Alternative Name:	Fas Associating Death Domain Containing Protein (FADD Products)
Background:	GIG3, MORT1, FADD Death Effector Domain, Fas-Associated Protein With Death Domain, Mediator Of Receptor-Induced Toxicity, Growth-Inhibiting Gene 3
Pathways:	Apoptosis, TLR Signaling, Activation of Innate immune Response, Positive Regulation of Endopeptidase Activity, Toll-Like Receptors Cascades
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of FADD in Human Breast cancer Tissue using Polyclonal Antibody to Fas Associating Death Domain Containing Protein (FADD)



Immunohistochemistry

Image 2. Detection of FADD in Human Stomach cancer Tissue using Polyclonal Antibody to Fas Associating Death Domain Containing Protein (FADD)



Immunohistochemistry

Image 3. Detection of FADD in Human Lung cancer Tissue using Polyclonal Antibody to Fas Associating Death Domain Containing Protein (FADD)

Please check the product details page for more images. Overall 5 images are available for ABIN7439960.