antibodies -online.com







anti-CD160 antibody (AA 37-154)





Overview

Quantity:	100 μL
Target:	CD160
Binding Specificity:	AA 37-154
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CD160 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Cluster Of Differentiation 160 (CD160)
Immunogen:	Recombinant Cluster Of Differentiation 160 (CD160) corresdonding to Gly37~Asn154 (Accession # 095971)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CD160. It has been selected for its ability to recognize CD160 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

Target:	CD160
Alternative Name:	CD160 (CD160 Products)
Background:	BY55, NK1, NK28, CD160 Antigen, Natural killer cell receptor BY55
Application Details	

Restrictions:	For Research Use only
	date under appropriate storage condition.
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	1:50-200 Optimal working dilutions must be determined by end user.
	1:50-200 Immunocytochemistry: 5-20 µg/mL
	1:500-2000 Immunohistochemistry: 5-20 μg/mL
Application Notes:	Western blotting: 0.5-2 μg/mL


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant CD160, Human using Polyclonal Antibody to Cluster Of Differentiation 160 (CD160)