antibodies - online.com







anti-QSOX1 antibody (AA 394-519)





\sim				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL
Target:	QSOX1
Binding Specificity:	AA 394-519
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This QSOX1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)


Product Details

Purpose:	Polyclonal Antibody to Quiescin Q6 Sulfhydryl Oxidase 1 (QSOX1)	
Immunogen:	Recombinant Quiescin Q6 Sulfhydryl Oxidase 1 (QSOX1) corresdonding to Gln394~Val519 (Accession # 000391)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against QSOX1. It has been selected for its ability to recognize QSOX1 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details


Target:	QSOX1
Alternative Name:	Quiescin Q6 Sulfhydryl Oxidase 1 (QSOX1 Products)
Background:	Q6, QSCN6
Pathways:	Cell RedoxHomeostasis

Application Details		
Application Notes:	Western blotting: $0.5-2~\mu g/mL$ Immunocytochemistry in formalin fixed cells: $5-20~\mu g/mL$ Immunohistochemistry in formalin fixed frozen section: $5-20~\mu g/mL$ Immunohistochemistry in paraffin section: $5-20~\mu g/mL$ Enzyme-linked Immunosorbent Assay: $0.05-2~\mu g/mL$ Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Immunohistochemistry

Image 1. Detection of QSOX1 in Human Skin cancer Tissue using Polyclonal Antibody to Quiescin Q6 Sulfhydryl Oxidase 1 (QSOX1)



Immunohistochemistry

Image 2. Detection of QSOX1 in Human Hela Cells using Polyclonal Antibody to Quiescin Q6 Sulfhydryl Oxidase 1 (QSOX1)



Western Blotting

Image 3. Detection of Recombinant QSOX1, Human using Polyclonal Antibody to Quiescin Q6 Sulfhydryl Oxidase 1 (QSOX1)

Please check the product details page for more images. Overall 4 images are available for ABIN7440086.