# antibodies -online.com





## anti-CILP antibody (AA 604-864)

2 Images



Go to Product page

( )	11	$\sim$	rv		۱ ۸
	1 \ /	┙	I \/	╙	1/1

Quantity:	100 μL	
Target:	CILP	
Binding Specificity:	AA 604-864	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CILP antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

#### **Product Details**


Purpose:	Polyclonal Antibody to Cartilage Intermediate Layer Protein (CILP)		
Immunogen:	Recombinant Cartilage Intermediate Layer Protein (CILP) corresdonding to Pro604~His864 (Accession # Q66K08) with N-terminal His and GST Tag		
Isotype:	IgG		
Specificity:	The antibody is a rabbit polyclonal antibody raised against CILP. It has been selected for its ability to recognize CILP in immunohistochemical staining and western blotting.		
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography		

#### **Target Details**

Target: CILP


### **Target Details**

Alternative Name:	Cartilage Intermediate Layer Protein (CILP Products)		
Background:	Nucleotide Pyrophosphohydrolase, Cartilage intermediate-layer protein		
Application Details			
Application Notes:	Western blotting: 0.5-2 μg/mL		
	Immunohistochemistry: 5-20 μg/mL		
	Immunocytochemistry: 5-20 μg/mL		
	Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated		
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious		
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
	date under appropriate storage condition.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be		
	handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without		
	detectable loss of activity. Avoid repeated freeze-thaw cycles.		
Expiry Date:	24 months		



#### **Immunohistochemistry**

Image 1. #VALUE!



#### **Western Blotting**

Image 2. Detection of Recombinant CILP, Mouse using Polyclonal Antibody to Cartilage Intermediate Layer Protein (CILP)