antibodies -online.com





anti-CIDEC antibody (AA 1-251)





Go to Product page

\sim	
()\/\	view
	V I C V V

Quantity:	100 μL
Target:	CIDEC
Binding Specificity:	AA 1-251
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CIDEC antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

Product Details


Purpose:	Polyclonal Antibody to Cell Death Inducing DFFA Like Effector C (CIDEC)
Immunogen:	Recombinant Cell Death Inducing DFFA Like Effector C (CIDEC) corresdonding to Met1~Gln251 (Accession # Q96AQ7)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CIDEC. It has been selected for its ability to recognize CIDEC in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

CIDEC


Target Details

Cell Death Inducing DFFA Like Effector C (CIDEC Products)
CIDE-3, Fsp27, Fat-specific protein FSP27 homolog
Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-
20 μg/mL Optimal working dilutions must be determined by end user.
The thermal stability is described by the loss rate. The loss rate was determined by accelerated
thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
degradation and precipitation were observed. The loss rate is less than 5% within the expiration
date under appropriate storage condition.
For Research Use only
Liquid
0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
ProClin
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
handled by trained staff only.
4 °C,-20 °C
Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
detectable loss of activity. Avoid repeated freeze-thaw cycles.
24 months




Immunohistochemistry

Image 1. Detection of CIDEC in Human Cerebrum Tissue using Polyclonal Antibody to Cell Death Inducing DFFA Like Effector C (CIDEC)



Western Blotting

Image 2. Detection of CIDEC in Human Hela Cells using Polyclonal Antibody to Cell Death Inducing DFFA Like Effector C (CIDEC)



Western Blotting

Image 3. Detection of Recombinant CIDEC, Human using Polyclonal Antibody to Cell Death Inducing DFFA Like Effector C (CIDEC)

Please check the product details page for more images. Overall 7 images are available for ABIN7440137.