# antibodies -online.com





## anti-MAPKSP1 antibody (AA 1-124)

2 Images



Go to Product page

#### Overview


Quantity:	100 μL
Target:	MAPKSP1
Binding Specificity:	AA 1-124
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MAPKSP1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

#### **Product Details**

Purpose:	Polyclonal Antibody to Mitogen Activated Protein Kinase Scaffold Protein 1 (MAPKSP1)
Immunogen:	Recombinant Mitogen Activated Protein Kinase Scaffold Protein 1 (MAPKSP1) corresdonding to Met1~Ser124 (Accession # Q9UHA4)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against MAPKSP1. It has been selected for its ability to recognize MAPKSP1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


### **Target Details**

l arget Details	
Target:	MAPKSP1
Alternative Name:	Mitogen Activated Protein Kinase Scaffold Protein 1 (MAPKSP1 Products)
Background:	MP1, MAPBP, MAP2K1IP1, LAMTOR3, Mitogen-Activated Protein Kinase Kinase 1 Interacting Protein 1, Late endosomal/lysosomal adaptor and MAPK and MTOR activator 3
Pathways:	PI3K-Akt Signaling
Application Details	
Application Notes:	Western blotting: 1-5 $\mu$ g/mL Immunocytochemistry in formalin fixed cells: 5-20 $\mu$ g/mL Immunohistochemistry in formalin fixed frozen section: 5-20 $\mu$ g/mL Immunohistochemistry in paraffin section: 5-20 $\mu$ g/mL Enzyme-linked Immunosorbent Assay: 0.05-2 $\mu$ g/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



#### **Immunohistochemistry**

Image 1. #VALUE!



#### **Western Blotting**

**Image 2.** Detection of Recombinant MAPKSP1, Human using Polyclonal Antibody to Mitogen Activated Protein Kinase Scaffold Protein 1 (MAPKSP1)