antibodies -online.com







anti-GAS6 antibody (AA 59-221)

2 Images



Go to Product page

| \sim | | | | |
|--------|-----------|------|----|---|
| | $ V \cap$ | r\/I | 19 | ٨ |

| Quantity: | 100 μL | |
|----------------------|--|--|
| Target: | GAS6 | |
| Binding Specificity: | AA 59-221 | |
| Reactivity: | Mouse | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This GAS6 antibody is un-conjugated | |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) | |

Product Details

| Purpose: | Polyclonal Antibody to Growth Arrest Specific Protein 6 (GAS6) | |
|---------------|--|--|
| Immunogen: | Recombinant Growth Arrest Specific Protein 6 (GAS6) corresdonding to Glu59~Asp221 with N-terminal His and GST Tag | |
| Isotype: | IgG | |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against GAS6. It has been selected for its ability to recognize GAS6 in immunohistochemical staining and western blotting. | |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography | |

Target Details

|--|

Target Details


| Alternative Name: | Growth Arrest Specific Protein 6 (GAS6 Products) |
|--|--|
| Background: AXLLG, AXSF, AXL Stimulatory Factor, AXL receptor tyrosine kinase ligand | |
| Pathways: RTK Signaling, Carbohydrate Homeostasis, Production of Molecular Mediator of Immune Response | |

Application Details

| Application Details | |
|---------------------|--|
| Application Notes: | Western blotting: 0.5-2 μg/mL |
| | 1:280-1100 Immunohistochemistry: 5-20 µg/mL |
| | 1:28-110 Immunocytochemistry: 5-20 μg/mL |
| | 1:28-110 Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| | |
| Llandling | |


Handling

| Format: | Liquid | |
|--------------------|---|--|
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. | |
| Expiry Date: | 24 months | |



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant GAS6, Mouse using Polyclonal Antibody to Growth Arrest Specific Protein 6 (GAS6)