
antibodies -online.com





anti-PPID antibody (AA 9-189)

3 Images



Go to Product page

Overview


Quantity:	100 μL
Target:	PPID
Binding Specificity:	AA 9-189
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PPID antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Cyclophilin 40 (CYP-40)
Immunogen:	Recombinant Cyclophilin 40 (CYP-40) corresdonding to Lys9~Asp189 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CYP-40. It has been selected for its ability to recognize CYP-40 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

Target:	PPID	
Alternative Name:	Cyclophilin 40 (PPID Products)	
Background:	PPID, CYPD, CyP-D, PPlase D, Peptidylprolyl Isomerase D, Cyclophilin 40, 40 kDa peptidyl-prolyl cis-trans isomerase, Cyclophilin-related protein, Rotamase D	
Pathways:	Nuclear Hormone Receptor Binding	
Application Details		
Application Notes:	Western blotting: 0.5-2 μ g/mL Immunohistochemistry: 5-20 μ g/mL Immunocytochemistry: 5-20 μ g/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Immunohistochemistry

Image 1. Detection of CYP-40 in Mouse Liver Tissue using Polyclonal Antibody to Cyclophilin 40 (CYP-40)



Western Blotting

Image 2. Detection of Recombinant CYPD, Mouse using Polyclonal Antibody to Cyclophilin 40 (CYP-40)



Immunohistochemistry

Image 3. Detection of CYP-40 in Mouse Uterus Tissue using Polyclonal Antibody to Cyclophilin 40 (CYP-40)