
antibodies -online.com





anti-WFDC2 antibody (AA 30-124)

2 Images



Go to Product page

| \sim | | | | | | | |
|--------|-----|--------|---------------|-----|------------|---|----|
| | 1// | \Box | $r \setminus$ | / [| \bigcirc | 1 | ٨, |

| Quantity: | 100 μL | |
|----------------------|--|--|
| Target: | WFDC2 | |
| Binding Specificity: | AA 30-124 | |
| Reactivity: | Human | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This WFDC2 antibody is un-conjugated | |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) | |

Product Details


| Purpose: | Polyclonal Antibody to WAP Four Disulfide Core Domain Protein 2 (WFDC2) | |
|---------------|--|--|
| Immunogen: | Recombinant WAP Four Disulfide Core Domain Protein 2 (WFDC2) corresdonding to Ala30~Phe124 with N-terminal His and GST Tag | |
| Isotype: | IgG | |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against WFDC2. It has been selected for its ability to recognize WFDC2 in immunohistochemical staining and western blotting. | |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography | |

Target Details

Target: WFDC2


Target Details

| Alternative Name: | WAP Four Disulfide Core Domain Protein 2 (WFDC2 Products) |
|---------------------|--|
| Background: | WFDC2, HE4, WAP5, EDDM4, Epididymal Protein 4, Epididymal Secretory Protein E4, Putative |
| | Protease Inhibitor WAP5, Major epididymis-specific protein E4 |
| Application Details | |
| Application Notes: | Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5- |
| | 20 μg/mL Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which |
| | should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without |
| | detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant WFDC2, Human using Polyclonal Antibody to WAP Four Disulfide Core Domain Protein 2 (WFDC2)