antibodies -online.com





anti-PDCD1LG2 antibody (AA 33-236)





Go to Product page

\sim	
()\/⊝	view
\circ	V I C V V

Quantity:	100 μL
Target:	PDCD1LG2
Binding Specificity:	AA 33-236
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PDCD1LG2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details


Purpose:	Polyclonal Antibody to Programmed Cell Death Protein 1 Ligand 2 (PDL2)
Immunogen:	Recombinant Programmed Cell Death Protein 1 Ligand 2 (PDL2) corresdonding to Glu33~Phe236
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PDL2. It has been selected for its ability to recognize PDL2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target: PDCD1LG2


Target Details

Alternative Name:	Programmed Cell Death Protein 1 Ligand 2 (PDCD1LG2 Products)
Background:	CD273, B7DC, Btdc, PD-L2, PDCD1-L2, PDCD1LG2
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-
	20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Western Blotting

Image 1. Detection of PDL2 in Human Urine using Polyclonal Antibody to Programmed Cell Death Protein 1 Ligand 2 (PDL2)



Western Blotting

Image 2. Detection of Recombinant PDCD1LG2, Human using Polyclonal Antibody to Programmed Cell Death Protein 1 Ligand 2 (PDL2)



Immunohistochemistry

Image 3. Detection of PDL2 in Human Tonsil Tissue using Polyclonal Antibody to Programmed Cell Death Protein 1 Ligand 2 (PDL2)

Please check the product details page for more images. Overall 4 images are available for ABIN7440452.