

Datasheet for ABIN7440461
anti-Caspase 8 antibody (AA 1-218)

3 Images

[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	Caspase 8 (CASP8)
Binding Specificity:	AA 1-218
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Caspase 8 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Caspase 8 (CASP8)
Immunogen:	Recombinant Caspase 8 (CASP8) corresponding to Met1~Asp218 (Accession # O89110)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CASP8. It has been selected for its ability to recognize CASP8 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Mouse
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details


Target:	Caspase 8 (CASP8)
Alternative Name:	Caspase 8 (CASP8 Products)
Background:	CAP4, FLICE, MACH, MCH5, Cysteiny Aspartate Specific Proteinases 8, Apoptotic cysteine protease, FADD-homologous ICE/ced-3-like protease, MORT1-associated ced-3 homolog
Pathways:	Apoptosis , Caspase Cascade in Apoptosis , TLR Signaling , Activation of Innate immune Response , Tube Formation , Positive Regulation of Endopeptidase Activity , Toll-Like Receptors Cascades

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL 1:500-2000 Immunohistochemistry: 5-20 µg/mL 1:50-200 Immunocytochemistry: 5-20 µg/mL 1:50-200 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Western Blotting

Image 1. Detection of CASP8 in Human HepG2 cell lysate using Polyclonal Antibody to Caspase 8 (CASP8)

Western Blotting

Image 2. Detection of Recombinant CASP8, Mouse using Polyclonal Antibody to Caspase 8 (CASP8)

Western Blotting

Image 3. Detection of CASP8 in Mouse Liver lysate using Polyclonal Antibody to Caspase 8 (CASP8)