antibodies -online.com





anti-CD42b antibody (AA 19-291)





Go to Product page

_					
U	V	er	VI	е	W

Quantity:	100 μL	
Target:	CD42b (GP1BA)	
Binding Specificity:	AA 19-291	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CD42b antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details


Purpose:	Polyclonal Antibody to Cluster Of Differentiation 42b (CD42b)	
Immunogen:	Recombinant Cluster Of Differentiation 42b (CD42b) corresdonding to Ile19~Leu291 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against CD42b. It has been selected for its ability to recognize CD42b in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Target: CD42b (GP1BA)	Target:	CD42b (GP1BA)		
-----------------------	---------	---------------	--	--


Target Details

Alternative Name:	CD42b (GP1BA Products)
Background:	GP1Ba, CD42-B, CD42b-Alpha, GP1-BA, BSS, GP1B, GPIBA, Glycocalicin, Glycoprotein lb Alpha Polypeptide, Platelet
Application Details	
Application Notes:	Western blotting: $0.5-2~\mu g/mL$ Immunocytochemistry in formalin fixed cells: $5-20~\mu g/mL$ Immunohistochemistry in formalin fixed frozen section: $5-20~\mu g/mL$ Immunohistochemistry in paraffin section: $5-20~\mu g/mL$ Enzyme-linked Immunosorbent Assay: $0.05-2~\mu g/mL$ Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of CD42b in Human Lymphocytes Cells using Polyclonal Antibody to Cluster Of Differentiation 42b (CD42b)



Western Blotting

Image 3. Detection of Recombinant GP1Ba, Human using Polyclonal Antibody to Cluster Of Differentiation 42b (CD42b)

Please check the product details page for more images. Overall 4 images are available for ABIN7440512.