antibodies - online.com







anti-CCL1 antibody (AA 24-92)

Images



\sim						
	1//	Д	r۱	/1	\triangle	٨

Quantity:	100 μL	
Target:	CCL1	
Binding Specificity:	AA 24-92	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CCL1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Chemokine C-C-Motif Ligand 1 (CCL1)		
Immunogen:	Recombinant Chemokine C-C-Motif Ligand 1 (CCL1) corresdonding to Lys24~Cys92 with N-terminal His Tag		
Isotype:	IgG		
Specificity:	The antibody is a rabbit polyclonal antibody raised against CCL1. It has been selected for its ability to recognize CCL1 in immunohistochemical staining and western blotting.		
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography		


Target Details

Target Details

Expiry Date:


24 months

rarget Details	
Alternative Name:	Chemokine C-C-Motif Ligand 1 (CCL1 Products)
Background:	SCYA1, I-309, TCA3, P500, SISe, Small Inducible Cytokine A1, T Lymphocyte Secreted Protein I-
	309
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.



Immunohistochemistry

Image 1. Detection of CCL1 in Mouse Stomach Tissue using Polyclonal Antibody to Chemokine C-C-Motif Ligand 1 (CCL1)



Western Blotting

Image 2. Detection of Recombinant CCL1, Mouse using Polyclonal Antibody to Chemokine C-C-Motif Ligand 1 (CCL1)