# antibodies -online.com





## anti-FGA antibody (AA 34-255)





Go to Product page

$\sim$	
( )\/\	rview
$\cup$	

Quantity:	100 μL
Target:	FGA
Binding Specificity:	AA 34-255
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FGA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**

Purpose:	Polyclonal Antibody to Fibrinogen Alpha Chain (FGA)
Immunogen:	Recombinant Fibrinogen Alpha Chain (FGA) corresdonding to Gly34~Met255 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against FGA. It has been selected for its ability to recognize FGA in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## **Target Details**


Target:	FGA
Alternative Name:	Fibrinogen Alpha Chain (FGA Products)
Background:	Fib2, FG-A, FGA, Fibrinopeptide A

## **Application Details**

Restrictions:	For Research Use only
	date under appropriate storage condition.
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	Optimal working dilutions must be determined by end user.
	Immunocytochemistry: 5-20 μg/mL
	Immunohistochemistry: 5-20 μg/mL
Application Notes:	Western blotting: 0.5-2 μg/mL


## Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




### **Western Blotting**

**Image 1.** Detection of FGA in Mouse Kidney lysate using Polyclonal Antibody to Fibrinogen Alpha Chain (FGA)



#### **Western Blotting**

**Image 2.** Detection of Recombinant FGA, Mouse using Polyclonal Antibody to Fibrinogen Alpha Chain (FGA)



#### **Western Blotting**

Image 3. Detection of FGA in Mouse Liver lysate using Polyclonal Antibody to Fibrinogen Alpha Chain (FGA)

Please check the product details page for more images. Overall 4 images are available for ABIN7440533.