antibodies - online.com







anti-CD93 antibody (AA 227-493)





/ N	11/0	K /	\sim	A /
	ve	1 \/	ı⊢۱	Λ
\sim	' V C	1 V		v v

Quantity:	100 μL
Target:	CD93
Binding Specificity:	AA 227-493
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CD93 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Complement Component 1, Q Receptor (C1qR1)	
Immunogen:	Recombinant Complement Component 1, Q Receptor (C1qR1) corresdonding to Glu227~Thr493 with N-terminal His and GST Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against C1qR1. It has been selected for its ability to recognize C1qR1 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

|--|--|


Target Details

Alternative Name:	Complement Component 1, Q Receptor (CD93 Products)	
Background:	CDw93, CD93, C1qRP, C1q-R, MXRA4, Matrix-remodeling-associated protein 4, CD93 Antigen,	
	C1q/MBL/SPA receptor, Complement component 1 q subcomponent receptor 1	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	1:500-2000 Immunohistochemistry: 5-20 μg/mL	
	1:50-200 Immunocytochemistry: 5-20 μg/mL	
	1:50-200 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



Western Blotting

Image 1. Detection of C1qR1 in Human 293T cell lysate using Polyclonal Antibody to Complement Component 1, Q Receptor (C1qR1)



Western Blotting

Image 2. Detection of Recombinant C1qR1, Human using Polyclonal Antibody to Complement Component 1, Q Receptor (C1qR1)