

Datasheet for ABIN7440734  
**anti-CXCR2 antibody (AA 1-57)**

## 2 Images

[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	CXCR2
Binding Specificity:	AA 1-57
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CXCR2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## Product Details

Purpose:	Polyclonal Antibody to Interleukin 8 Receptor Beta (IL8Rb)
Immunogen:	Recombinant Interleukin 8 Receptor Beta (IL8Rb) corresponding to Met1~Leu57 with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IL8Rb. It has been selected for its ability to recognize IL8Rb in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## Target Details


Target:	CXCR2
Alternative Name:	Interleukin 8 Receptor Beta ( <a href="#">CXCR2 Products</a> )
Background:	CD182, CDw128b, IL8R-B, IL8-RB, CMKAR2, CXCR2, IL8R2, C-X-C chemokine receptor type 2, GRO/MGSA receptor, High affinity interleukin-8 receptor B
Pathways:	<a href="#">cAMP Metabolic Process</a>

## Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



**Immunohistochemistry**

**Image 1.** Detection of IL8Rb in Human Spleen Tissue using Polyclonal Antibody to Interleukin 8 Receptor Beta (IL8Rb)



**Western Blotting**

**Image 2.** Detection of Recombinant IL8Rb, Human using Polyclonal Antibody to Interleukin 8 Receptor Beta (IL8Rb)