antibodies -online.com





anti-LTBP1 antibody (AA 1415-1712)





Overview

| Quantity: | 100 μL |
|----------------------|--|
| Target: | LTBP1 |
| Binding Specificity: | AA 1415-1712 |
| Reactivity: | Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This LTBP1 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

| Purpose: | Polyclonal Antibody to Latent Transforming Growth Factor Beta Binding Protein 1 (LTBP1) |
|-------------------|--|
| lmmunogen: | Recombinant Latent Transforming Growth Factor Beta Binding Protein 1 (LTBP1) corresdonding to Asp1415~Glu1712 with N-terminal His Tag |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against LTBP1. It has been selected for its ability to recognize LTBP1 in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Human, Rat |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |


Target Details

| Target Details | |
|---------------------|--|
| Target: | LTBP1 |
| Alternative Name: | Latent Transforming Growth Factor Beta Binding Protein 1 (LTBP1 Products) |
| Background: | TGF-beta1-BP-1, Transforming growth factor beta-1-binding protein 1 |
| Pathways: | Maintenance of Protein Location, Growth Factor Binding |
| Application Details | |
| Application Notes: | Western blotting: 0.5-2 μg/mL |
| | 1:250-1000 Immunohistochemistry: 5-20 μg/mL |
| | 1:25-100 Immunocytochemistry: 5-20 μg/mL |
| | 1:25-100 Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be |
| | handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without |
| | |

detectable loss of activity. Avoid repeated freeze-thaw cycles.


24 months

Expiry Date:




Immunohistochemistry

Image 1. Detection of LTBP1 in Mouse Heart Tissue using Polyclonal Antibody to Latent Transforming Growth Factor Beta Binding Protein 1 (LTBP1)



Western Blotting

Image 2. Detection of Recombinant LTBP1, Mouse using Polyclonal Antibody to Latent Transforming Growth Factor Beta Binding Protein 1 (LTBP1)



Immunohistochemistry

Image 3. Detection of LTBP1 in Mouse Cerebrum Tissue using Polyclonal Antibody to Latent Transforming Growth Factor Beta Binding Protein 1 (LTBP1)

Please check the product details page for more images. Overall 6 images are available for ABIN7440761.