# antibodies -online.com





## anti-Casein Kinase 1 delta antibody (AA 1-409)





( )	11/0	K\ /	iew	1
	$\cup$	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	Casein Kinase 1 delta (CSNK1D)
Binding Specificity:	AA 1-409
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Casein Kinase 1 delta antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**


Purpose:	Polyclonal Antibody to Casein Kinase 1 Delta (CSNK1d)	
Immunogen:	Recombinant Casein Kinase 1 Delta (CSNK1d) corresdonding to Met1~Lys409 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against CSNK1d. It has been selected for its ability to recognize CSNK1d in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

### Target Details

Target:	Casein Kinase 1 delta (CSNK1D)	
Alternative Name:	Casein Kinase 1 Delta (CSNK1D Products)	
Background:	HCKID, Tau-protein kinase CSNK1D, Casein kinase I isoform delta	
Pathways:	Hedgehog Signaling, M Phase	

#### **Application Details**

Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	Immunohistochemistry: 5-20 μg/mL	
	Immunocytochemistry: 5-20 μg/mL	
	Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



#### **Western Blotting**

Image 1. Detection of Recombinant CSNK1d, Human using Polyclonal Antibody to Casein Kinase 1 Delta (CSNK1d)