

Datasheet for ABIN7441118

anti-beta 2 Adrenergic Receptor antibody (AA 330-418)





Overview

Quantity:	100 μL
Target:	beta 2 Adrenergic Receptor (ADRB2)
Binding Specificity:	AA 330-418
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This beta 2 Adrenergic Receptor antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)
Product Details	
Purpose:	Polyclonal Antibody to Adrenergic Receptor Beta 2 (ADRb2)
Immunogen:	Recombinant Adrenergic Receptor Beta 2 (ADRb2) corresdonding to Pro330~Leu418 with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ADRb2. It has been selected for its ability to recognize ADRb2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	beta 2 Adrenergic Receptor (ADRB2)

Target Details

Alternative Name:	ADRb2 (ADRB2 Products)
Background:	B2AR, Beta-2 adrenoreceptor
UniProt:	P10608
Pathways:	cAMP Metabolic Process, Synaptic Membrane, Regulation of G-Protein Coupled Receptor Protein Signaling, Brown Fat Cell Differentiation

Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	500 μg/mL

Format:	Liquid
Concentration:	500 μg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. Detection of ADRb2 in Rat Bronchus Tissue using Polyclonal Antibody to Adrenergic Receptor Beta 2 (ADRb2)