# antibodies - online.com







## anti-LMTK3 antibody (AA 133-411)

**Images** 



$\sim$			
	IV/E	۱//۱۲	$I \cap V$

Quantity:	100 μL	
Target:	LMTK3	
Binding Specificity:	AA 133-411	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This LMTK3 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)	

#### **Product Details**

Purpose:	Polyclonal Antibody to Lemur Tyrosine Kinase 3 (LMTK3)	
Immunogen:	Recombinant Lemur Tyrosine Kinase 3 (LMTK3) corresdonding to Leu133~Leu411 with Two N-terminal Tags, His-tag and SUMO-tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against LMTK3. It has been selected for its ability to recognize LMTK3 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Pig	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


#### **Target Details**

Target:	LMTK3
Alternative Name:	Lemur Tyrosine Kinase 3 (LMTK3 Products)
Background:	LMR3, TYKLM3, Serine/threonine-protein kinase LMTK3
Application Details	
Application Notes:	Western blotting: 0.2-2 μg/mL

Restrictions:	For Research Use only
	date under appropriate storage condition.
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	1:25-100 Optimal working dilutions must be determined by end user.
	1:25-100 Immunocytochemistry: 5-20 μg/mL
	1:250-2500 Immunohistochemistry: 5-20 μg/mL
Application Notes.	Western biotting. 0.2-2 μg/mL


### Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



#### **Immunohistochemistry**

**Image 1.** Detection of LMTK3 in Human Cerebrum Tissue using Polyclonal Antibody to Lemur Tyrosine Kinase 3 (LMTK3)



#### **Immunohistochemistry**

Image 2. Detection of LMTK3 in Human Liver Tissue using Polyclonal Antibody to Lemur Tyrosine Kinase 3 (LMTK3)