# antibodies -online.com





## anti-SLC26A8 antibody (AA 664-970)



**Images** 



Go to Product page

( )	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew

Quantity:	100 μL	
Target:	SLC26A8	
Binding Specificity:	AA 664-970	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SLC26A8 antibody is un-conjugated	
Application:	Immunohistochemistry (IHC), Western Blotting (WB), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

#### **Product Details**

Purpose:	Polyclonal Antibody to Testis Anion Transporter 1 (TAT1)	
Immunogen:	Recombinant Testis Anion Transporter 1 (TAT1) corresdonding to Thr664~Val970 with N-terminal His and GST Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against TAT1. It has been selected for its ability to recognize TAT1 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

#### **Target Details**

Target: SLC26A8
-----------------

## **Target Details**


Alternative Name:	Testis Anion Transporter 1 (SLC26A8 Products)	
Background:	SLC26A8, Solute Carrier Family 26 Member 8, Anion exchange transporter	
Pathways:	Dicarboxylic Acid Transport	

## **Application Details**

Restrictions:	For Research Use only
	date under appropriate storage condition.
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	Optimal working dilutions must be determined by end user.
	Immunocytochemistry: 5-20 μg/mL
	Immunohistochemistry: 5-20 μg/mL
Application Notes:	Western blotting: 0.5-2 µg/mL


## Handling

Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




#### **Western Blotting**

**Image 1.** Detection of TAT1 in Human Hela cell lysate using Polyclonal Antibody to Testis Anion Transporter 1 (TAT1)



#### Western Blotting

Image 2. Detection of Recombinant TAT1, Human using Polyclonal Antibody to Testis Anion Transporter 1 (TAT1)



#### **Immunohistochemistry**

Image 3. Detection of TAT1 in Human Testis Tissue using Polyclonal Antibody to Testis Anion Transporter 1 (TAT1)

Please check the product details page for more images. Overall 4 images are available for ABIN7441175.