

Datasheet for ABIN7441205
anti-RIPK1 antibody (AA 1-179)



[Go to Product page](#)

7 Images

Overview

| | |
|----------------------|--|
| Quantity: | 100 µL |
| Target: | RIPK1 |
| Binding Specificity: | AA 1-179 |
| Reactivity: | Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This RIPK1 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

| | |
|-------------------|--|
| Purpose: | Polyclonal Antibody to Receptor Interacting Serine Threonine Kinase 1 (RIPK1) |
| Immunogen: | Recombinant Receptor Interacting Serine Threonine Kinase 1 (RIPK1) corresponding to Met1~Ala179 with N-terminal His Tag |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against RIPK1. It has been selected for its ability to recognize RIPK1 in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Mouse |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |

Target Details


| | |
|-------------------|---|
| Target: | RIPK1 |
| Alternative Name: | Receptor Interacting Serine Threonine Kinase 1 (RIPK1 Products) |
| Background: | RIP, Receptor-Interacting Protein, Cell death protein RIP, Serine/threonine-protein kinase RIP |
| Pathways: | NF-kappaB Signaling , Apoptosis , Caspase Cascade in Apoptosis , TLR Signaling , Activation of Innate immune Response , Inositol Metabolic Process , Positive Regulation of Endopeptidase Activity , Hepatitis C , Protein targeting to Nucleus , Toll-Like Receptors Cascades , Negative Regulation of intrinsic apoptotic Signaling , SARS-CoV-2 Protein Interactome , Ubiquitin Proteasome Pathway |

Application Details

| | |
|--------------------|---|
| Application Notes: | Western blotting: 0.5-2 µg/mL 1:480-1900 Immunohistochemistry: 5-20 µg/mL 1:48-190 Immunocytochemistry: 5-20 µg/mL 1:48-190 Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Restrictions: | For Research Use only |


Handling

| | |
|--------------------|---|
| Format: | Liquid |
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |




Immunohistochemistry

Image 1. Detection of RIPK1 in Rat Cardiac Muscle Tissue using Polyclonal Antibody to Receptor Interacting Serine Threonine Kinase 1 (RIPK1)



Western Blotting

Image 2. Detection of Recombinant RIPK1, Rat using Polyclonal Antibody to Receptor Interacting Serine Threonine Kinase 1 (RIPK1)



Immunohistochemistry

Image 3. Detection of RIPK1 in Rat Stomach Tissue using Polyclonal Antibody to Receptor Interacting Serine Threonine Kinase 1 (RIPK1)

Please check the [product details page](#) for more images. Overall 7 images are available for ABIN7441205.