



[Go to Product page](#)

Datasheet for ABIN7441217

## anti-NCOA3 antibody (AA 1023-1304)

### 5 Images

#### Overview

Quantity:	100 µL
Target:	NCOA3
Binding Specificity:	AA 1023-1304
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NCOA3 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### Product Details

Purpose:	Polyclonal Antibody to Nuclear Receptor Coactivator 3 (NCOA3)
Immunogen:	Recombinant Nuclear Receptor Coactivator 3 (NCOA3) corresponding to Gly1023~Ala1304 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against NCOA3. It has been selected for its ability to recognize NCOA3 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

#### Target Details

Target:	NCOA3
---------	-------

## Target Details

---

Alternative Name:	Nuclear Receptor Coactivator 3 ( <a href="#">NCOA3 Products</a> )
Background:	RAC3, ACTR, AIB1, CAGH16, CTG26, SRC3, TNRC14, TNRC16, TRAM1, pCIP, Amplified In Breast 1, Steroid Receptor Coactivator-3 , Thyroid Hormone Receptor Activator Molecule 1
Pathways:	<a href="#">Intracellular Steroid Hormone Receptor Signaling Pathway</a> , <a href="#">Regulation of Intracellular Steroid Hormone Receptor Signaling</a> , <a href="#">Regulation of Lipid Metabolism by PPARalpha</a>

## Application Details


---

Application Notes:	Western blotting: 0.5-2 µg/mL 1:240-900 Immunohistochemistry: 5-20 µg/mL 1:24-90 Immunocytochemistry: 5-20 µg/mL 1:24-90 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

## Handling


---

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




#### Immunohistochemistry

**Image 1.** Detection of NCOA3 in Human Breast cancer Tissue using Polyclonal Antibody to Nuclear Receptor Coactivator 3 (NCOA3)



#### Western Blotting

**Image 2.** Detection of Recombinant NCOA3, Human using Polyclonal Antibody to Nuclear Receptor Coactivator 3 (NCOA3)



#### Immunohistochemistry

**Image 3.** Detection of NCOA3 in Human Colorectal cancer Tissue using Polyclonal Antibody to Nuclear Receptor Coactivator 3 (NCOA3)

Please check the [product details page](#) for more images. Overall 5 images are available for ABIN7441217.