
antibodies - online.com







anti-PERK antibody (AA 973-1114)



Images



\sim	
()\/△	rview
\cup	1 410 44

Quantity:	100 μL
Target:	PERK (EIF2AK3)
Binding Specificity:	AA 973-1114
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PERK antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Eukaryotic Translation Initiation Factor 2 Alpha Kinase 3 (EIF2aK3)
Immunogen:	Recombinant Eukaryotic Translation Initiation Factor 2 Alpha Kinase 3 (EIF2aK3) corresdonding to Met973~Asn1114
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against EIF2aK3. It has been selected for its ability to recognize EIF2aK3 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Storage:

Expiry Date:

Storage Comment:


Target Details	
Target:	PERK (EIF2AK3)
Alternative Name:	Eukaryotic Translation Initiation Factor 2 Alpha Kinase 3 (EIF2AK3 Products)
Background:	WRS, PEK, PERK, HsPEK, PRKR-like endoplasmic reticulum kinase, Pancreatic elF2-alpha kinase
Pathways:	Hormone Transport, ER-Nucleus Signaling, Positive Regulation of Endopeptidase Activity, Hepatitis C
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

detectable loss of activity. Avoid repeated freeze-thaw cycles.

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without


4 °C,-20 °C

24 months




Immunohistochemistry

Image 1. Detection of EIF2aK3 in Mouse Testis Tissue using Polyclonal Antibody to Eukaryotic Translation Initiation Factor 2 Alpha Kinase 3 (EIF2aK3)



Western Blotting

Image 2. Detection of Recombinant EIF2aK3, Mouse using Polyclonal Antibody to Eukaryotic Translation Initiation Factor 2 Alpha Kinase 3 (EIF2aK3)



Immunofluorescence

Image 3. Detection of EIF2aK3 in Human Hela cell using Polyclonal Antibody to Eukaryotic Translation Initiation Factor 2 Alpha Kinase 3 (EIF2aK3)

Please check the product details page for more images. Overall 8 images are available for ABIN7441241.