antibodies -online.com









Overview


Quantity:	100 μL
Target:	NFIX (MLZE)
Binding Specificity:	AA 13-298
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NFIX antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

Product Details

Purpose:	Polyclonal Antibody to Nuclear Factor I/X (NFIX)
Immunogen:	Recombinant Nuclear Factor I/X (NFIX) corresdonding to His13~Thr298 with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against NFIX. It has been selected for its ability to recognize NFIX in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details	
Target:	NFIX (MLZE)
Alternative Name:	Nuclear Factor I/X (MLZE Products)
Background:	NF1A, CTF, CCAAT-Binding Transcription Factor, TGGCA-binding protein
Pathways:	Skeletal Muscle Fiber Development
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months





Western Blot kDa 70 -63kDa 44 33 26 22 18 14 10

Western Blotting

Image 1. Detection of NFIX in Rat Serum using Polyclonal Antibody to Nuclear Factor I/X (NFIX)

Western Blotting

Image 2. Detection of Recombinant NFIX, Rat using Polyclonal Antibody to Nuclear Factor I/X (NFIX)