# antibodies .- online.com





## anti-TRPC6 antibody (AA 1-192)



**Images** 



Go to Product page

$\sim$				
	$ V \cap$	r\/I	19	٨


Quantity:	100 μL		
Target:	TRPC6		
Binding Specificity:	AA 1-192		
Reactivity:	Human		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This TRPC6 antibody is un-conjugated		
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)		
Product Details			
Purpose:	Polyclonal Antibody to Transient Receptor Potential Cation Channel Subfamily C, Member 6 (TRPC6)		
Immunogen:	Recombinant Transient Receptor Potential Cation Channel Subfamily C, Member 6 (TRPC6) corresdonding to Met1~Leu192		
Isotype:	IgG		
Specificity:	The antibody is a rabbit polyclonal antibody raised against TRPC6. It has been selected for its ability to recognize TRPC6 in immunohistochemical staining and western blotting.		
Cross-Reactivity:	Mouse, Pig, Rat		
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography		

### Target Details

Expiry Date:


Target Details		
Target:	TRPC6	
Alternative Name:	Transient Receptor Potential Cation Channel Subfamily C, Member 6 (TRPC6 Products)	
Background:	FSGS2, TRP6, Transient receptor protein 6	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	Immunohistochemistry: 5-20 μg/mL	
	Immunocytochemistry: 5-20 μg/mL	
	Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	

24 months




#### **Western Blotting**

**Image 1.** Detection of TRPC6 in Human Serum using Polyclonal Antibody to Transient Receptor Potential Cation Channel Subfamily C, Member 6 (TRPC6)



#### **Western Blotting**

Image 2. Detection of Recombinant TRPC6, Human using Polyclonal Antibody to Transient Receptor Potential Cation Channel Subfamily C, Member 6 (TRPC6)



#### **Immunohistochemistry**

**Image 3.** Detection of TRPC6 in Human Kidney Tissue using Polyclonal Antibody to Transient Receptor Potential Cation Channel Subfamily C, Member 6 (TRPC6)

Please check the product details page for more images. Overall 7 images are available for ABIN7441304.