antibodies -online.com





anti-PSMA5 antibody (AA 1-241)



Images



Go to Product page

| \sim | |
|----------|-------|
| ()\/\Di | view |
| | VICVV |


| Quantity: | 100 μL |
|----------------------|--|
| Target: | PSMA5 |
| Binding Specificity: | AA 1-241 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This PSMA5 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

| Purpose: | Polyclonal Antibody to Proteasome Subunit Alpha Type 5 (PSMa5) |
|-------------------|--|
| Immunogen: | Recombinant Proteasome Subunit Alpha Type 5 (PSMa5) corresdonding to Met1~Ile241 |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against PSMa5. It has been selected for its ability to recognize PSMa5 in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Mouse, Rat |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |

Target Details

| rarget Details | |
|---------------------|---|
| Target: | PSMA5 |
| Alternative Name: | Proteasome Subunit Alpha Type 5 (PSMA5 Products) |
| Background: | PSC5, Macropain zeta chain, Multicatalytic endopeptidase complex zeta chain, Proteasome zeta chain |
| Pathways: | Mitotic G1-G1/S Phases, DNA Replication, Synthesis of DNA |
| Application Details | |
| Application Notes: | Western blotting: 0.5-2 μ g/mL Immunohistochemistry: 5-20 μ g/mL Immunocytochemistry: 5-20 μ g/mL Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |




Western Blotting

Image 1. Detection of PSMa5 in Hela cell lysate using Polyclonal Antibody to Proteasome Subunit Alpha Type 5 (PSMa5)

Western Blotting

Image 2. Detection of Recombinant PSMa5, Human using Polyclonal Antibody to Proteasome Subunit Alpha Type 5 (PSMa5)



Immunohistochemistry

Image 3. Detection of PSMa5 in Human Glioma Tissue using Polyclonal Antibody to Proteasome Subunit Alpha Type 5 (PSMa5)

Please check the product details page for more images. Overall 8 images are available for ABIN7441322.