# antibodies -online.com





Datasheet for ABIN7441367

## anti-STS antibody (AA 235-583)





Go to Product page

$\sim$							
	1//	$rac{1}{2}$	`\/	L	Р	1	٨

Quantity:	100 μL
Target:	STS
Binding Specificity:	AA 235-583
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STS antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## **Product Details**

Purpose:	Polyclonal Antibody to Steroid Sulfatase Isozyme S (STS)	
lmmunogen:	Recombinant Steroid Sulfatase Isozyme S (STS) corresdonding to His235~Arg583 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against STS. It has been selected for its ability to recognize STS in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Horse, Mouse	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


### **Target Details**

rarget betails	
Target:	STS
Alternative Name:	Steroid Sulfatase Isozyme S (STS Products)
Background:	ARSC, ARSC1, ASC, ES, SSDD, Arylsulfatase C, Steryl-sulfatase, Steryl-sulfate sulfohydrolase
Pathways:	Steroid Hormone Biosynthesis
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-

	20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




## **Western Blotting**

**Image 1.** Detection of STS in Mouse Testis lysate using Polyclonal Antibody to Steroid Sulfatase Isozyme S (STS)



### **Western Blotting**

**Image 2.** Detection of Recombinant STS, Human using Polyclonal Antibody to Steroid Sulfatase Isozyme S (STS)



## **Western Blotting**

**Image 3.** Detection of STS in Mouse Placenta lysate using Polyclonal Antibody to Steroid Sulfatase Isozyme S (STS)

Please check the product details page for more images. Overall 4 images are available for ABIN7441367.