antibodies -online.com





anti-SPTLC3 antibody (AA 238-552)





Go to Product page

()\/	$\Delta r V$	$1 \triangle 1 \lambda$
\cup \vee	CIV	iew

Quantity:	100 μL
Target:	SPTLC3
Binding Specificity:	AA 238-552
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SPTLC3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details


Purpose:	Polyclonal Antibody to Serine Palmitoyltransferase, Long Chain Base Subunit 3 (SPTLC3)
Immunogen:	Recombinant Serine Palmitoyltransferase, Long Chain Base Subunit 3 (SPTLC3) corresdonding to Ile238~Asp552 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against SPTLC3. It has been selected for its ability to recognize SPTLC3 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target: SPTLC3


Target Details

o .	
Alternative Name:	Serine Palmitoyltransferase, Long Chain Base Subunit 3 (SPTLC3 Products)
Background:	SPTLC2L, SPT 3, LCB 3, C20orf38, Aminotransferase 2, Serine-palmitoyl-CoA transferase 3, Long chain base biosynthesis protein 3
Application Details	
Application Notes:	Western blotting: 0.5-2 μ g/mL Immunohistochemistry: 5-20 μ g/mL Immunocytochemistry: 5-20 μ g/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant SPTLC3, Human using Polyclonal Antibody to Serine Palmitoyltransferase, Long Chain Base Subunit 3 (SPTLC3)