antibodies -online.com





anti-MAN1A1 antibody (AA 322-653)





_					
U	V	er	VI	е	W


Quantity:	100 μL	
Target:	MAN1A1	
Binding Specificity:	AA 322-653	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MAN1A1 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Purpose:	Polyclonal Antibody to Mannosidase Alpha Class 1A Member 1 (MAN1A1)	
Immunogen:	Recombinant Mannosidase Alpha Class 1A Member 1 (MAN1A1) corresdonding to Ile322~Glu653 with N-terminal His and GST Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against MAN1A1. It has been selected for its ability to recognize MAN1A1 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Pig, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


Target Details

Target:	MAN1A1	
Alternative Name:	Mannosidase Alpha Class 1A Member 1 (MAN1A1 Products)	
Background:	HUMM3, HUMM9, MAN9, Mannosyl-Oligosaccharide 1,2-Alpha-Mannosidase IA, Mannosidase alpha class 1A member 1, Processing alpha-1,2-mannosidase IA	
Application Details		
Application Notes:	Western blotting: 1-5 μ g/mL Immunocytochemistry in formalin fixed cells: 5-20 μ g/mL Immunohistochemistry in formalin fixed frozen section: 5-20 μ g/mL Immunohistochemistry in paraffin section: 5-20 μ g/mL Enzyme-linked Immunosorbent Assay: 0.05-2 μ g/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Immunohistochemistry

Image 1. Detection of MAN1A1 in Human Cerebellum Tissue using Polyclonal Antibody to Mannosidase Alpha Class 1A Member 1 (MAN1A1)



Western Blotting

Image 2. Detection of Recombinant MAN1A1, Human using Polyclonal Antibody to Mannosidase Alpha Class 1A Member 1 (MAN1A1)



Immunohistochemistry

Image 3. Detection of MAN1A1 in Human Stomach Tissue using Polyclonal Antibody to Mannosidase Alpha Class 1A Member 1 (MAN1A1)