# antibodies .- online.com







## Image



Overview	
Quantity:	100 μL
Target:	IL18BP
Binding Specificity:	AA 29-193
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL18BP antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## Product Details


Purpose:	Polyclonal Antibody to Interleukin 18 Binding Protein (IL18BP)	
Immunogen:	Recombinant Interleukin 18 Binding Protein (IL18BP) corresdonding to Thr29~Ala193 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against IL18BP. It has been selected for its ability to recognize IL18BP in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

### **Target Details**

Target:	IL18BP		
---------	--------	--	--

## **Target Details**

Alternative Name:	Interleukin 18 Binding Protein (IL18BP Products)	
Background:	IL18BPa, MC51L-53L-54L Homolog Gene Product, Tadekinig-alfa	
Application Details		
Application Notes:	Western blotting: 0.5-2 $\mu$ g/mL Immunohistochemistry: 5-20 $\mu$ g/mL Immunocytochemistry: 5-20 $\mu$ g/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



#### **Western Blotting**

**Image 1.** Detection of Recombinant IL18BP, Mouse using Polyclonal Antibody to Interleukin 18 Binding Protein (IL18BP)