antibodies -online.com









- The state of the

Overview		
Quantity:	100 μL	
Target:	EXOSC2	
Binding Specificity:	AA 1-293	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This EXOSC2 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Exosome Component 2 (EXOSC2)
Immunogen:	Recombinant Exosome Component 2 (EXOSC2) corresdonding to Met1~Gly293 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against EXOSC2. It has been selected for its ability to recognize EXOSC2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

arget:	EXOSC2		
--------	--------	--	--

Target Details


Alternative Name:	Exosome Component 2 (EXOSC2 Products)	
Background:	RRP4, Rrp4p, hRrp4p, p7, Ribosomal RNA-processing protein 4	
Pathways:	SARS-CoV-2 Protein Interactome	

Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-
	20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Western Blotting

Image 1. Detection of EXOSC2 in Human Hela cell lysate using Polyclonal Antibody to Exosome Component 2 (EXOSC2)



Western Blotting

Image 2. Detection of Recombinant EXOSC2, Human using Polyclonal Antibody to Exosome Component 2 (EXOSC2)



Immunohistochemistry

Image 3. Detection of EXOSC2 in Human Breast cancer Tissue using Polyclonal Antibody to Exosome Component 2 (EXOSC2)

Please check the product details page for more images. Overall 9 images are available for ABIN7441514.