## .-online.com antibodies

# Datasheet for ABIN7441520 anti-IDH2 antibody (AA 40-452)

Images



## Overview


Quantity:	100 µL
Target:	IDH2
Binding Specificity:	AA 40-452
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IDH2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

## Product Details

Purpose:	Polyclonal Antibody to Isocitrate Dehydrogenase 2, mitochondrial (IDH2)
Immunogen:	Recombinant Isocitrate Dehydrogenase 2, mitochondrial (IDH2) corresdonding to Ala40~Gln452 with N-terminal His Tag
lsotype:	lgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IDH2. It has been selected for its ability to recognize IDH2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7441520 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Target:	IDH2
Alternative Name:	Isocitrate Dehydrogenase 2, mitochondrial (IDH2 Products)
Background:	IDH, IDP, ICD-M, IDHM, mNADP-IDH, Isocitrate dehydrogenase [NADP], mitochondrial, Oxalosuccinate decarboxylase
Pathways:	Warburg Effect
Application Details	
Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




## Immunohistochemistry

**Image 1.** Detection of IDH2 in Human Stomach Tissue using Polyclonal Antibody to Isocitrate Dehydrogenase 2, mitochondrial (IDH2)



### Western Blotting

**Image 2.** Detection of Recombinant IDH2, Human using Polyclonal Antibody to Isocitrate Dehydrogenase 2, mitochondrial (IDH2)



#### Immunohistochemistry

**Image 3.** Detection of IDH2 in Human Kidney Tissue using Polyclonal Antibody to Isocitrate Dehydrogenase 2, mitochondrial (IDH2)

Please check the product details page for more images. Overall 7 images are available for ABIN7441520.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7441520 | 09/09/2023 | Copyright antibodies-online. All rights reserved.