
antibodies -online.com





anti-UGGT1 antibody (AA 1221-1536)





Go to Product page

\sim			
	IV/E	۱/۱۲	$I \cap V$

Quantity:	100 μL	
Target:	UGGT1	
Binding Specificity:	AA 1221-1536	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This UGGT1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to UDP-Glucose Glycoprotein Glucosyltransferase 1 (UGGT1)	
Immunogen:	Recombinant UDP-Glucose Glycoprotein Glucosyltransferase 1 (UGGT1) corresdonding to Leu1221~Leu1536	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against UGGT1. It has been selected for its ability to recognize UGGT1 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Pig	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


Target Details

Expiry Date:

l arget Details		
Target:	UGGT1	
Alternative Name:	UDP-Glucose Glycoprotein Glucosyltransferase 1 (UGGT1 Products)	
Background:	UGTR, HUGT1, GT, UGCGL1, UGGT, UGT1, UDP-glucose ceramide glucosyltransferase-like 1	
Pathways:	Activation of Innate immune Response	
Application Details		
Application Notes:	Western blotting: 0.5-2 μ g/mL Immunohistochemistry: 5-20 μ g/mL Immunocytochemistry: 5-20 μ g/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	


detectable loss of activity. Avoid repeated freeze-thaw cycles.

24 months




Western Blotting

Image 1. Detection of UGGT1 in Human HepG2 cell lysate using Polyclonal Antibody to UDP-Glucose Glycoprotein Glucosyltransferase 1 (UGGT1)



Western Blotting

Image 2. Detection of Recombinant UGGT1, Human using Polyclonal Antibody to UDP-Glucose Glycoprotein Glucosyltransferase 1 (UGGT1)



Western Blotting

Image 3. Detection of UGGT1 in Human Jurakt cell lysate using Polyclonal Antibody to UDP-Glucose Glycoprotein Glucosyltransferase 1 (UGGT1)

Please check the product details page for more images. Overall 4 images are available for ABIN7441550.